What is Claimed is:

- 1. A real-time monitoring apparatus for biochemical reaction, which comprises:
- a temperature control block comprising a thermoelectric element(2) capable of supplying heat into reaction tubes and a heat transmission block(3) which transmit the heat to the reaction tubes;
- a light irradiation source comprising a lamp(5) which irradiates light with uniform intensity to sample contained in the reaction tube, and the optical waveguide(8); and an optical system comprising receiving part for receiving fluorescence irradiated from the sample by the light emitted from the light irradiation source.
- 2. The real-time monitoring apparatus according to claim 1, wherein the lamp(5) includes a first ellipsoidal reflecting mirror.
- 3. The real-time monitoring apparatus according to claim 1, wherein the refractive index of medium of the optical waveguide is $1.35 \sim 2.0$.
- 4. The real-time monitoring apparatus according to claim 1, wherein the optical waveguide has a rectangular

shape.

- 5. The real-time monitoring apparatus according to claim 1, wherein the optical waveguide has a round shape.
- 6. A real-time monitoring apparatus for biochemical reaction, which comprises:
- a temperature control block comprising a thermoelectric element(2) capable of supplying heat into a reaction tube and a heat transmission block(3) which transmit the heat to the reaction tubes containing sample;
- a light irradiation source comprising a lamp(41) which irradiates the light with uniform intensity to sample contained in the reaction tube, a condensing lens 3(36) and an optical waveguide(8); and
- 3) an optical system comprising a receiving part for receiving fluorescence irradiated from the sample by the light emitted from the light irradiation source.
- 7. The real-time monitoring apparatus according to claim 6, wherein the lamp(41) includes a parabolic mirror.
- 8. The real-time monitoring apparatus according to claim 6, wherein the refractive index of medium of the

optical waveguide(8) is $1.35 \sim 2.0$.

- 9. The real-time monitoring apparatus according to claim 6, wherein the optical waveguide(8) has rectangular shape.
- 10. The real-time monitoring apparatus according to claim 6, wherein the optical waveguide has round shape.
- 11. A real-time monitoring apparatus for biochemical reaction, which comprises:
- a temperature control block comprising a thermoelectric element(2) capable of supplying heat into reaction tube, and a heat transmission block(3) which transmit the heat to the reaction tubes containing sample;
- a light irradiation source comprising a lamp(5) which irradiates light with uniform intensity to sample contained in the reaction tube and the optical waveguide(8); and an optical system comprising a light receiving part for receiving fluorescence generated by the light irradiated from the light source and a second reflecting mirror(11) which alters light path.
 - 12. The real-time monitoring apparatus according to

- claim 11, which comprises two or more the second reflecting in mirror(11) which alters light path
- 13. The real-time monitoring apparatus according to claim 11, wherein the lamp(5) comprises an ellipsoidal mirror.
- 14. The real-time monitoring apparatus according to claim 11, wherein the refractive index of medium of the optical waveguide (8) is $1.35 \sim 2.0$.
- 15. The real-time monitoring apparatus according to claim 11, wherein the optical waveguide(8) has rectangular shape.
- 16. The real-time monitoring apparatus according to claim 6, wherein the optical waveguide has round shape.